



A NSIC Registered MSME Company



Hospital Furniture & Equipments

Manufacturer & Exporter of :  
Hospital Furniture &  
Operation Theatre Equipments



Hospital Furniture Catalogue

CE IEC 60601 - 1, IEC 60601 - 1 - 2 : 2001, IEC 60601 - 2 - 38, ISO 13485 : 2012  
OHSAS 18001 : 2007, ISO 9001 : 2015, ISO 14001 : 2015

# Company Profile

## About Us

**Aggarwal Surgicals; A NSIC REGISTERED MSME UNIT;** was launched at the mid of 2000 and deals with the competence and professional work of a qualified staff who has a Nineteen year experience in the medical and hospital field.

During these years **Aggarwal Surgicals** has been appreciated all over the territory for the quality of its products that it has designed and produced; for the efficient service of deliveries which are carried out quickly; for the ongoing research of new ideas which have the target to improve the operative conditions of the doctors/staff and the patients in hospitals.

**Aggarwal Surgicals** is specialized in designing and constructing a wide range of Hospital furniture & operation theatre equipments which have the function to satisfy all needs and problems that come out of the medical-hospital ambit.

That is **Aggarwal Surgicals** : it's a Well Experienced and Dynamic company, inspite of not being a very old establishment our organization has been going from strength to strength with the faith invested in us by our esteem customers, it's a company which is open to innovations and changes in the context of developing solutions that can improve either the level of practicalness, comfort, design or the safeness of the staff and the patients in medical ambit. Our competence and our kindness are at your full disposal. Contacting us is easy: we will help you to solve your problems and we will also be open to your comments and your needs,

HERE WE ARE.....and you?

## Quality Standard

From the very first day of establishing this company, we **Aggarwal Surgicals** follow very strict quality testing and managing all the challenges of day to day improved customer needs, with our extremely experienced and dedicated team of research and development department. We are following and Applying International Quality Standards as per Norms and terms of Medical and Surgical Equipments/Products and we are also maintaining our quality as per standards of European Countries.

## Customer Satisfaction

We believe, Today customer needs not only a good quality product, but also after sales services with his convinence and As per his satisfaction level, So, we always concentrate on developing long term business relations by providing Trusted quality products with quick and outstanding after sales services, This is our commitment to our customers.

# Index

ICCU & ICU BEDS	1-5
FOWLER BEDS & SEMI-FOWLER BEDS	6-11
WARD BEDS	11-13
ICU, WARD & O.T. FURNITURE	14-36
HEAD & FOOT PANELS/BOARDS	37
SIDE SAFETY RAILS	38-39
CASTORS/WHEELS & MATTRESSES	40-41



## AS-IO1 BED ICU HI-LOW ELECTRO ULTRA DELUXE

- Elegant Intensive Care Hospital Bed for comfortable recovery of patient under cumbersome conditions with various important positions available as per surgeon's requirement with rigid & sturdy heavy trolley base.
- Frame made of strong rectangular CRCA pipe.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest, Knee-rest, Trendelenburg/Reverse Trendelenburg & Hi-Low Positions obtained by corded remote control.
- Provided with Nursing Control Panel with CPR (Zero Position) Function.
- Inbuilt Battery Back-up for functioning during electricity failure.
- ABS Moulded Head & Foot Panels.
- ABS Tuck Away Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Twin Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 500-775 mm H (Customizable).
- Finish: Pre-Treated & Epoxy Powder Coated.



## AS-IO3 BED ICU HI-LOW MECHANICAL SUPER DELUXE

- Elegant Intensive Care Hospital Bed for comfortable recovery of patient under cumbersome conditions with various important positions available as per surgeon's requirement with rigid & sturdy heavy trolley base.
- Frame made of strong rectangular CRCA pipe.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest, Knee-rest, Trendelenburg/Reverse Trendelenburg & Hi-Low Positions obtained by Crank Mechanism at foot end operated by Four Separate Handles.
- ABS Moulded Head & Foot Panels.
- ABS Tuck Away Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 500-775 mm H (Customizable).
- Finish: Pre-Treated & Epoxy Powder Coated.



## AS-104 BED ICU HI-LOW MECHANICAL SUPER

- Elegant Intensive Care Hospital Bed for comfortable recovery of patient under cumbersome conditions with various important positions available as per surgeon's requirement with rigid & sturdy heavy trolley base.
- Frame made of strong rectangular CRCA pipe.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest, Knee-rest, Trendelenburg/Reverse Trendelenburg & Hi-Low Positions obtained by Crank Mechanism at foot end operated by Four Separate Handles.
- ABS Moulded Head & Foot Panels.
- Collapsible Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 500-775 mm H (Customizable).
- Finish: Pre-Treated & Epoxy Powder Coated.



## AS-105 BED ICU HI-LOW MECHANICAL DELXUE

- Elegant Intensive Care Hospital Bed for comfortable recovery of patient under cumbersome conditions with various important positions available as per surgeon's requirement with rigid & sturdy heavy trolley base.
- Frame made of strong rectangular CRCA pipe.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest, Knee-rest, Trendelenburg/Reverse Trendelenburg & Hi-Low Positions obtained by Crank Mechanism at foot end with Four Separate handles.
- Head & Foot Panels Laminated Wooden Board fitted with Stainless Steel Pipe Frame.
- Collapsible Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 500-775 mm H (Customizable).
- Finish: Pre-Treated & Epoxy Powder Coated.



## AS-106 ICU BED-CUM-TROLLEY HI-LOW DELUXE

- Specially designed ICU Bed with Utility of Trolley Bed to move patient from emergency to ICU/Ward or patient can be kept on the same for a day or two to settle down and later can be shifted to ICU or ward with full comfort of patient.
- Frame made of strong rectangular CRCA Pipe.
- Four Sections Top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest, Knee-rest, Trendelenburg/Reverse Trendelenburg & Hi-Low Positions obtained by Crank Mechanism at foot end operated by Four separate Handles.
- Specially designed Head & Foot Panels made of Stainless Steel. These Panels work as Trolley Handles and can be straight down for movement of Bed as a Trolley.
- Collapsible Side Safety Railing.
- Bed Mounted on Four 125 mm high strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 500-775 mm H (Customizable).
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-106-A ICU BED-CUM-TROLLEY HI-LOW DELUXE-I

- Specially designed ICU Bed with Utility of Trolley Bed for patient to be shifted to ICU/O.T./Delivery Room etc. Best used for Delivery Patient as Pre-Delivery/Labour room beds.
- Frame made of strong rectangular CRCA Pipe.
- Four Sections Top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest, Knee-rest, Trendelenburg/Reverse Trendelenburg & Hi-Low Positions obtained by Crank Mechanism at foot end operated by Four separate Handles.
- Specially designed Head & Foot Panels made of Stainless Steel fitted with Laminated Wooden Board.
- Collapsible Side Safety Railing.
- Bed Mounted on Four 125 mm high strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 500-775 mm H (Customizable).
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-106-B ICU BED-CUM-TROLLEY HI-LOW DELUXE-II

- Specially designed ICU Bed with Utility of Trolley Bed to move patient from emergency to ICU/Ward or patient can be kept on the same for a day or two to settle down and later can be shifted to ICU or ward with full comfort of patient.
- Frame made of strong rectangular CRCA Pipe.
- Four Sections Top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest, Knee-rest & Hi-Low Positions obtained by Crank Mechanism at foot end operated by Three separate Handles.
- Specially designed Head & Foot Panels made of Stainless Steel. These Panels work as Trolley Handles and can be straight down for movement of Bed as a Trolley.
- Collapsible Side Safety Railing.
- Bed Mounted on Four 125 mm high strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with Provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 500-775 mm H (Customizable).
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-107-A BED ICU NON HI-LOW MECHANICAL ULTRA DELUXE

- Elegant Intensive Care Hospital Bed for comfortable recovery of patient under cumbersome conditions with various important positions available as per surgeon's requirement with special designed rigid & sturdy heavy trolley base.
- Frame made of strong rectangular CRCA pipe.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest, Knee-rest & Trendelenburg/Reverse Trendelenburg Positions obtained by Crank Mechanism at foot end operated by Three Separate handles.
- ABS Moulded Head & Foot Panels.
- ABS Tuck Away Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with Provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 500 mm H (Customizable).
- Finish: Pre-Treated & Epoxy Powder Coated.



## AS-107 BED ICU NON HI-LOW MECHANICAL SUPER DELUXE

- Elegant Intensive Care Hospital Bed for comfortable recovery of patient under cumbersome conditions with various important positions available as per surgeon's requirement with special designed rigid & sturdy heavy trolley base.
- Frame made of strong rectangular CRCA pipe.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest, Knee-rest & Trendelenburg/Reverse Trendelenburg Positions obtained by Crank Mechanism at foot end operated by Three Separate handles.
- ABS Moulded Head & Foot Panels.
- Collapsible Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with Provision at Four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 500 mm H (Customizable).
- Finish: Pre-Treated & Epoxy Powder Coated.



## AS-108 BED ICU NON HI-LOW MECHANICAL DELUXE

- Elegant Intensive Care Hospital Bed for comfortable recovery of patient under cumbersome conditions with various important positions available as per surgeon's requirement with rigid & sturdy heavy trolley base.
- Frame made of strong rectangular CRCA pipe.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest, Knee-rest & Trendelenburg/Reverse Trendelenburg Positions obtained by Crank Mechanism at foot end operated by Three Separate handles.
- Head & Foot Panels made of Laminated Wooden Board fitted with Stainless Steel Pipe Frame.
- Collapsible Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with Provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 500 mm H (Customizable).
- Finish: Pre-Treated & Epoxy Powder Coated.





## AS-109 FOWLER BED ELECTRO ULTRA DELUXE

- Elegant Fowler Hospital Bed specially designed for Deluxe/Super Deluxe/VIP Rooms for comfortable recovery of patients with various important positions available as per Doctor's requirements with rigid & sturdy heavy trolley base.
- Frame made of strong rectangular CRCA pipe.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest & Knee-rest Positions obtained by corded Remote Control.
- ABS Moulded Head & Foot Panels.
- ABS Tuck Away Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with Provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish Pre-Treated & Epoxy Powder Coated.



## AS-109-A FOWLER BED ELECTRO SUPER DELUXE

- Elegant Fowler Hospital Bed specially designed for Deluxe/Super Deluxe/VIP Rooms for comfortable recovery of patients with various important positions available as per Doctor's requirements.
- Frame made of strong rectangular CRCA pipe mounted on specially designed Leg Frame fitted with Castors.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest & Knee-rest Positions obtained by corded Remote Control.
- ABS Moulded Head & Foot Panels.
- Collapsible Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with Provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-Treated & Epoxy Powder Coated.



## AS-109-B FOWLER BED ELECTRO + MECHANICAL DELUXE

- Elegant Fowler Hospital Bed specially designed for Deluxe/Super Deluxe/VIP Rooms for comfortable recovery of patients with various important positions available as per Doctor's requirements.
- Frame made of strong rectangular CRCA pipe mounted on specially designed Leg Frame fitted with Castors.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest Position obtained by corded Remote Control and Knee-rest Position obtained by Mechanical Crank Mechanism at foot end operated by Handle.
- ABS Moulded Head & Foot Panels.
- Collapsible Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with Provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-Treated & Epoxy Powder Coated.



## AS-110-A FOWLER BED MECHANICAL ULTRA DELUXE

- Elegant Fowler Hospital Bed specially designed for Deluxe/Super Deluxe/VIP Rooms for comfortable recovery of patients with various important positions available as per Doctor's requirements.
- Frame made of strong rectangular CRCA pipe mounted on specially designed Leg Frame fitted with Castors.
- Four Sections Top made of perforated CRCA sheets machine pressed and bent, with mattress guard.
- Back-rest & Knee-rest Positions obtained by Mechanical Crank Mechanism at foot end operated by Two Separate Handles.
- ABS Moulded Head & Foot Panels.
- ABS Tuck Away Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- One Stainless Steel I.V. Rod with Provision at Four Locations on Bed Frame.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-Treated & Epoxy Powder Coated.



### AS-III FOWLER BED MECHANICAL SUPER-I

- Frame made of strong rectangular CRCA Pipe mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Four Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest & Knee-rest Positions obtained by Mechanical Crank Mechanism at foot end operated by Two Separate Handles.
- ABS Moulded Head & Foot Panels.
- Collapsible Side Safety Railing.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



### AS-II2 FOWLER BED MECHANICAL SUPER-II

- Frame made of strong rectangular CRCA Pipe mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Four Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest & Knee-rest Positions obtained by Mechanical Crank Mechanism at foot end operated by Two Separate Handles.
- ABS Moulded Head & Foot Panels.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-IB-A FOWLER BED MECHANICAL DELUXE-I

- Frame made of strong rectangular CRCA Pipe mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Four Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest & Knee-rest Positions obtained by Mechanical Crank Mechanism at foot end operated by Two Separate Handles.
- Head & Foot Panels made of Laminated Wooden Board fitted with Stainless Steel Pipe Frame.
- Collapsible Side Safety Railing.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-IB3 FOWLER BED MECHANICAL DELUXE

- Frame made of strong rectangular CRCA Pipe mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Four Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest & Knee-rest Positions obtained by Mechanical Crank Mechanism at foot end operated by Two Separate Handles.
- Head & Foot Panels made of Laminated Wooden Board fitted with Stainless Steel Pipe Frame.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-II4-A SEMI-FOWLER BED ELCTRO SUPER DELUXE

- Frame made of strong rectangular CRCA pipe mounted on specially designed Leg Frame fitted with Castors.
- Two Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest position maneuverable by corded Remote Control.
- ABS Moulded Head & Foot Panels.
- Collapsible Side Safety Railing.
- Bed mounted on 125 mm High Strength PU Moulded Castors; Two with Brakes.
- Provision for Stainless Steel I.V. Rod with at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-II5 SEMI-FOWLER BED MECHANICAL SUPER-I

- Frame made of strong rectangular CRCA Pipe mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Two Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest position maneuverable by Crank Mechanism at foot end.
- ABS Moulded Head & Foot Panels.
- Collapsible Side Safety Railing.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-II6 SEMI-FOWLER BED MECHANICAL SUPER-II

- Frame made of strong rectangular CRCA Pipe mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Two Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest position maneuverable by Crank Mechanism at foot end.
- ABS Moulded Head & Foot Panels.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-II7-A SEMI-FOWLER BED MECHANICAL DELUXE-I

- Frame made of strong rectangular CRCA Pipe mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Two Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest position maneuverable by Crank Mechanism at foot end.
- Head & Foot Panels made of Laminated Wooden Board fitted with Stainless Steel Pipe Frame.
- Collapsible Side Safety Railing.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-II7 SEMI-FOWLER BED MECHANICAL DELUXE

- Frame made of strong rectangular CRCA Pipe mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Two Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest position maneuverable by Crank Mechanism at foot end.
- Head & Foot Panels made of Laminated Wooden Board fitted with Stainless Steel Pipe Frame.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-II8 SEMI-FOWLER BED MECHANICAL GENERAL

- Frame made of strong rectangular CRCA Pipe mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Two Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest position maneuverable by Crank Mechanism at foot end.
- Head & Foot Panels made of Powder Coated Pipe Frame.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.

## WARD BEDS



## AS-II9 WARD BED WITH BACK-REST ON RATCHET DELUXE-I

- Frame made of strong and precise steel tubes mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Two Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest position by Ratchet System.
- Head & Foot Panels made of Laminated Wooden Board fitted with Stainless Steel Pipe Frame.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## **AS-120** **WARD BED WITH BACK-REST ON RATCHET DELUXE-II**

- Frame made of strong and precise steel tubes mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Two Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest position by Ratchet System.
- Head & Foot Panels made of Stainless Steel Pipe Frame.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## **AS-121** **WARD BED WITH BACK-REST ON RATCHET GENERAL**

- Frame made of strong and precise steel tubes mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Two Sections top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Back-rest position by Ratchet System.
- Head & Foot Panels made of Powder Coated Pipe Frame.
- Provision for Stainless Steel I.V. Rod at Four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## **AS-122** **WARD BED PLAIN GENERAL**

- Frame made of strong and precise steel tubes with tubular Head and Foot Bows of unequal height with vertical tube supports, mounted on Heavy Duty PVC stumps.
- Top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 2200 mm L x 1000 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-I22-A PAEDIATRIC BED

- Frame made of strong and precise steel tubes mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Head & Foot Panels made of Stainless Steel Pipe Frame with vertical tube supports of equal height.
- Full Length Stainless Steel Swing Away Type Railing with vertical tube supports.
- Provision for Stainless Steel I.V. Rod at four Locations.
- Overall Size: 1525 mm L x 760 mm W x 600 mm H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-I23 ATTENDANT BED DELUXE

- Frame made of strong and precise steel tubes mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Powder Coated Head & Foot Bows.
- Overall Size: 72" L x 30" W x 18" H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-I24 ATTENDANT BED GENERAL

- Frame made of strong and precise steel tubes mounted on "H" type legs mounted on Heavy Duty PVC stumps.
- Top made of perforated CRCA Sheets machine pressed and bent, with mattress guard.
- Powder Coated Head & Foot Bows.
- Overall Size: 72" L x 24" W x 18" H.
- Finish: Pre-treated & Epoxy Powder Coated.





## AS-I25-I BED SIDE LOCKER-CUM-MINI CRASH CART

- Strong Stainless Steel Pipe Frame with Three Smooth Running ABS Centrally Lockable Drawers with Three Multipurpose Shelves.
- One Monitor Tray/platform made of Stainless Steel provided on Top at Eye Level.
- One Front Tray/Shelf made of Stainless Steel.
- One Lower Shelf fitted under ABS Drawers Set for fluids and patient belongings etc.
- Stainless Steel Height Adjustable I.V. Rod with One I.V. Hook Provide on the back side of the frame.
- Three Handout Bins for keeping ampoules and injections etc.
- Mobile on Four 100 mm High Strength PU Swivel Castors; Two with Brakes.
- Finish: Well Polished Stainless Steel.

## AS-I25-J BED SIDE LOCKER SUPER-I

- Strong Stainless Steel Pipe Frame fitted with Stainless Steel Guard Rails fitted on Three Sides.
- Overall Size: 18" L x 15" W x 34" H.
- Fitted with Laminated Wooden Box having One Drawer fitted with High Grade Running Channels for smooth sliding to accommodate all types of ampoules, syringes, medicines etc.
- Having One Ultra Large Laminated Wooden Box with Door for General Patient belongings, fruits, foods etc.
- Mounted on 100 mm High Strength PU Moulded Twin Castors; Two with Brakes.
- Finish: Well Polished Stainless Steel and Box: Fully Laminated Wooden Box.



## AS-I25-K BED SIDE LOCKER WITH ABS DRAWER S.S. ULTRA DELUXE-I (CTG/NFT/ECG)

- Specially designed Bed Side Locker-cum-CTG/NFT/ECG Trolley for multipurpose functions.
- Strong Stainless Steel Pipe Frame fixed with Two Stainless Shelves with Stainless Steel Guard Rails fixed on three sides of each shelf.
- ABS moulded centrally Lockable cabinet of Three Drawers fitted under the top for medicines and ampoules etc.
- One Handle provided on Side of Trolley Frame.
- Fitted with One I.V. Rod for cords, clamps etc.
- Mounted on 100 mm High Strength PU Swivel Castors; Two with Brakes.
- Finish: Well Polished Stainless Steel.



**AS-I25-L**  
**BED SIDE LOCKER WITH ABS DRAWER S.S. ULTRA DELUXE-II**

- Strong Stainless Steel Pipe Frame fixed with Two Stainless Shelves with Stainless Steel Guard Rails fixed on three sides of Top Shelf.
- ABS moulded centrally Lockable cabinet of Three Drawers fitted under the top for medicines and ampoules etc.
- Mounted on 50 mm Swivel Castors.
- Finish: Well Polished Stainless Steel.

**AS-I25**  
**BED SIDE LOCKER WITH ABS DRAWER S.S. ULTRA DELUXE**

- Strong Stainless Steel Pipe Frame fixed with Two Stainless Shelves with Stainless Steel Guard Rails fixed on three sides of each shelf.
- ABS moulded centrally Lockable cabinet of Three Drawers fitted under the top for medicines and ampoules etc.
- Mounted on Rubber Stumps.
- Finish: Well Polished Stainless Steel.



**AS-I25-D**  
**BED SIDE LOCKER ULTRA SUPER-II**

- Strong M.S. Pipe Frame fitted with Stainless Steel Guard Rails fitted on Three Sides.
- Top Size: 18" L x 15" W x 32" H.
- Fitted with Laminated Wooden Box having One Drawer fitted with High Grade Running Channels for smooth sliding to accommodate all types of ampoules, syringes, medicines etc.
- Having One Ultra Large Laminated Wooden Box with Door for General Patient belongings, fruits, foods etc.
- Mounted on Rubber Stumps.
- Finish: Pre-treated & Epoxy Powder Coated and Box: Fully Laminated Wooden Box.

**AS-I26**  
**BED SIDE LOCKER WITH ABS DRAWER ULTRA**

- Strong Steel Pipe Frame fixed with Two Stainless Shelves with Stainless Steel Guard Rails fixed on three side of each shelf.
- ABS moulded centrally Lockable cabinet of Three Drawers fitted under the top for medicines and ampoules etc.
- Mounted on Rubber Stumps.
- Finish: Pre-treated & Epoxy Powder Coated.





## AS-I26-A BED SIDE LOCKER DELUXE

- Overall Size (Approx.): 40 cm L x 40 cm W x 80 cm H.
- Stainless Steel Tray Top with raised borders on three sides forming the upper surface.
- Drawer fitted with smooth slides.
- Provided with shelf space for storage under the drawer with cabinet at below.
- Drawer and cabinet have front door.
- Having One Drawer & One Cabinet Box with self space in between.
- Made of CRCA Sheet.
- Two buffers are provided at rear side of the locker box.
- Mounted on 50 mm Swivel Castors.
- Finish: Pre-treated & Epoxy Powder Coated Frame with Stainless Steel Top.

## AS-I26-B BED SIDE LOCKER MOULDED DELUXE

- Overall Size (Approx.): 40 cm L x 40 cm W x 80 cm H.
- Moulded Tray Top with raised borders on Four Sides forming the upper surface.
- Drawer fitted with smooth slides.
- Provided with shelf space for storage under the drawer with cabinet at below.
- Drawer and cabinet have front moulded doors.
- Having One Drawer & One Cabinet Box with self space in between.
- Made of CRCA Sheet.
- Mounted on 50 mm Swivel Castors.
- Finish: Pre-treated & Epoxy Powder Coated Frame.



## AS-I27 BED SIDE LOCKER OPEN S.S. SUPER DELUXE

- Two Shelves provided with guard rails made of Stainless Steel.
- Strong Stainless Steel tubular frame.
- Mounted on four 3" Swivel Castors.
- Size: 17" L x 17" W x 32" H.
- Finish: Well Polished Stainless Steel.



## AS-I28 BED SIDE LOCKER OPEN S.S. SUPER

- Strong Stainless Steel Pipe Frame fixed with three Stainless Steel Shelves with Stainless Steel Guard Rails fixed on three sides of each shelf.
- Mounted on Rubber Stumps.
- Finish: Well Polished Stainless Steel.



## **AS-I28-A** **BED SIDE LOCKER OPEN DELUXE**

- Strong Steel Pipe frame fixed with Three Stainless Steel Shelves with Stainless Steel Guard rails fixed on three sides of each shelf.
- Mounted on Rubber Stumps.
- Finish: Pre-treated & Epoxy Powder Coated Frame fitted with S.S. Shelves.



## **AS-I28-B** **BED SIDE LOCKER OPEN GENERAL**

- Strong Steel Pipe Frame fixed with Three CRCA Sheet Shelves with Mild Steel Guard rails fixed on three sides of each shelf.
- Mounted on Rubber Stumps.
- Finish: Pre-treated & Epoxy Powder Coated.

## **AS-I28-C** **BED SIDE LOCKER OPEN GENERAL-I**

- Strong Steel Pipe Frame fixed with Two CRCA Sheet Shelves with Mild Steel Guard rails fixed on three sides of each shelf fitted with Stainless Steel Top Shelf with Stainless Steel guard rails.
- Mounted on Rubber Stumps.
- Finish: Pre-treated & Epoxy Powder Coated Frame with Stainless Steel Top.





## AS-I28-D BED SIDE LOCKER GENERAL

- Overall Size (Approx.): 15" L x 15" W x 32" H.
- Stainless Steel Tray Top.
- Provided with shelf space for storage under the Top Tray with cabinet at below.
- Cabinet has front door.
- Cabinet made of CRCA Sheet fitted with CRCA Square Pipe Frame.
- Mounted on Heavy Duty PVC Stumps.
- Finish: Pre-treated & Epoxy Powder Coated Frame with Stainless Steel Top.

## AS-I29-A OVER BED TABLE WITH ADJUSTABLE HEIGHT ULTRA DELUXE

- ABS Moulded Top fitted on Heavy Steel Frame with heavy base made of CRCA Pipe Frame mounted on Four 50 mm Swivel Castors.
- Fitted with Stainless Steel Pillar Height Adjustable with Pneumatic Pump operated by Clip provided on back side of pillar.
- Size: 32" L x 16" W x 32"-42" H.
- Finish: Pre-treated & Epoxy Powder Coated Base with Stainless Steel Pillar.



## AS-I29-B OVER BED TABLE WITH ADJUSTABLE HEIGHT SUPER DELUXE

- Laminated Wooden Top fitted on Heavy Steel Frame with heavy base made of CRCA Pipe Frame mounted on Four 50 mm Swivel Castors.
- Fitted with Stainless Steel Pillar Height Adjustable with Pneumatic Pump operated by Clip provided on back side of pillar.
- Size: 32" L x 16" W x 32"-42" H.
- Finish: Pre-treated & Epoxy Powder Coated Base with Stainless Steel Pillar.





## AS-I29-C

### OVER BED TABLE WITH ADJUSTABLE HEIGHT SUPER

- ABS Moulded Top fitted on Heavy Steel Frame with heavy base made of CRCA Pipe Frame mounted on Four 50 mm Swivel Castors.
- Fitted with Stainless Steel Pillar Height Adjustable with mechanical gear box operated by handle provided on back side of pillar.
- Size: 32" L x 16" W x 32"-42" H.
- Finish: Pre-treated & Epoxy Powder Coated Base with Stainless Steel Pillar.



## AS-I29

### OVER BED TABLE WITH ADJUSTABLE HEIGHT DELUXE

- Laminated Wooden Board Top fitted on Heavy Tubular Steel Frame mounted on Four 5 cms. Swivel Castors.
- Height Adjustable Sliding Pipe made of Heavy Duty Stainless Steel and maneuverable by Knob.
- Size: 32" L x 16" W x 32"-42" H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-I30

### OVER BED TABLE GENERAL

- Laminated board top fitted on Tubular Steel Frame mounted on Four 5 cms. Swivel Castors.
- Size: 42" L x 16" W x 38" H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-I30-A

### DOCTOR ROUND TROLLEY/PATIENT VISITING TROLLEY

- Laminated Wooden Board Top fitted on Tubular Steel Frame mounted on Four 100 mm Heavy PU Swivel Castors; Two with Brakes.
- Two Shelves under the top with three side rails on each shelf.
- Size: 32" L x 16" W x 40" H.
- Finish: Pre-treated & Epoxy Powder Coated.



## **AS-131** **STRETCHER TROLLEY HI-LOW SUPER DELUXE**

- Totally made of CRCA Pipe & Sheet with Epoxy Powder Coated finish.
- Height and back-rest adjustable with crank mechanism at foot end by separate handles.
- Two Sections Powder Coated Top.
- Trolley mobile on Four 125 mm High Strength PU Swivel Castors; Two with Brakes.
- ABS Tuck Away Side Safety Railing that enables Hospital Staff to keep the trolley strictly adjacent to Patient Bed/Operating Table/X-Ray Table etc. and shift the patient without any discomfort or hustle.
- One Stainless Steel I.V. Rod with Provision at Two Locations.
- Provided with Cylinder Cage and Utility Tray.
- Provide with Two Sections 50 mm High Density PU Foam Mattress with fixing Straps.
- Size: 84" L x 24" W x 20"-32" H.
- Finish: Pre-treated & Epoxy Powder Coated.



## **AS-132** **STRETCHER TROLLEY HI-LOW DELUXE**

- Totally made of CRCA Pipe & Sheet with Epoxy Powder Coated finish.
- Height adjustable with crank mechanism at foot end.
- Two section Powder Coated Top, Head Raise by Ratchet System.
- Trolley mobile on Four 125 mm High Strength PU Castors; Two with Brakes.
- Swing Away Type Side Safety Railing that enables Hospital Staff to keep the trolley strictly adjacent to Patient Bed/Operating Table/X-Ray Table etc. and shift the patient without any discomfort or hustle.
- One Stainless Steel I.V. Rod with Provision at Two Locations.
- Provided with Cylinder Cage.
- Provided with Two Sections 50 mm High Density PU Foam Mattress with fixing straps.
- Size: 84" L x 24" W x 20"-32" H.
- Finish: Pre-Treated & Epoxy Powder Coated.

## AS-133

### STRETCHER TROLLEY NON HI-LOW DELUXE

- Stretcher with Back-rest adjustable on ratchet (Two Sections Stretcher Top) made of CRCA Sheet fixed on heavy duty Steel Frame, fitted with Stainless Steel Handle, removable from trolley fixed with ground stand mounted on rubber stumps.
- I.V. Rod/Pole attachment at both sides of Stretcher.
- Trolley made of CRCA Tubular Frame fitted with 150 mm (6 inches) Swivel Castors.
- Trolley Frame provided with cylinder cage under the frame and Swing Away Type Side Safety Railing at each side.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-134

### STRETCHER TROLLEY GENERAL

- Stretcher made of CRCA Sheet fixed on heavy duty Steel Frame, fitted with Stainless Steel Handle, removable from trolley fixed with ground stand mounted on rubber stumps.
- Trolley made of CRCA Tubular Frame fitted with 150 mm (6 inches) Swivel Castors.
- I.V. Rod/Pole attachment at both sides of the trolley.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-135

### EXAMINATION COUCH

- Two Boxes made from both sides Laminated Wooden Board fitted with CRCA Pipe Frame.
- Both Laminated Wooden Boxes have One Detachable shelf fitted with Two Doors each Box with Large Stainless Steel Handle.
- Free space in the middle for easy patient examination and to put Foot Step.
- Provided with Foot Step designed as per middle space between two boxes and can be pushed under the top.
- High density 100 mm PU Foam Mattress Top with inbuilt Pillow.
- Mounted on PVC Stumps non-breakable.
- Size: 74" L x 24" W x 32" H.
- Finish: Laminated Wooden Box with Pre-treated & Epoxy Powder Coated Frame.







## AS-135-A EXAMINATION COUCH HI-LOW REMOTE OPERATED

- Elegant Examination Couch specially designed for Doctor and Patient's comfort.
- Frame made of Strong Rectangular CRCA Pipe with Two Sections Top.
- Height and Back-rest Adjustable by corded Remote Control.
- Fitted with High density 75 mm PU Foam Mattress Top.
- Mounted on 125 mm Heavy Duty PU Swivel Castors; Two with Brakes.
- Size: 74" L x 24" W x 21"-31" H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-136 EXAMINATION TABLE (TWO SECTIONS TOP)

- Two Sections Top with head Section adjustable on ratchet.
- Made of CRCA Sheet and Pipes.
- Provision for I.V. Rod made of Stainless Steel provided at the head end.
- Mounted on PVC Stumps.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-137 GYNAE./OBSTETRIC EXAMINATION COUCH

- Made from CRCA Sheet Mounted on CRCA Pipe Frame.
- One Side Laminated Wooden Box having one detachable shelf fitted with Two Doors with Large Stainless Steel Handles.
- Free Space in the middle for easy patient examination.
- Provided with Foot Step; can be pushed under the top.
- Specially designed Gynae. Examination "U" Cut provided with pair of upholstered lithotomy mounted on Stainless Steel Rods.
- Sliding Stainless Steel Basin/Tray provided under the main frame.
- High density 100 mm PU Foam mattress Top with inbuilt Pillow.
- Mounted on PVC Stumps non-breakable.
- Size: 72" L x 24" W x 32" H.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-138 GYNAE./OBSTETRIC EXAMINATION TABLE

- Two Section Top with Head Section adjustable on ratchet.
- Made of CRCA Sheet and Pipes.
- Lithotomy Leg holders with straps provided at Leg end.
- Provision for I.V. Rod at the head end.
- Provided with 50 mm thick High Density Special PU Foam Mattress all side covered with High Quality Heavy Duty Rexene.
- Finish: Pre-treated & Epoxy Powder Coated.

## AS-140 CRASH CART-CUM-EMERGENCY MEDICINE TROLLEY S.S. ULTRA

- Stainless Steel Frame with Six Smooth Running ABS Centrally Lockable Drawers with Three Multipurpose Shelves.
- One Monitor Tray/platform made of Stainless Steel provided on Top at Eye Level.
- One Front Tray/Shelf made of Stainless Steel with Stainless Steel Side Safety Rails.
- One Extra Broad Lower Shelf fitted under ABS Drawers Set with Stainless Steel Side Safety Rails.
- One Handle provided on Side Trolley Frame.
- Stainless Steel Height Adjustable I.V. Rod with One I.V. Hook Provide on the back side of the frame.
- Six Handout Bins for keeping ampoules and injections etc.
- Stainless Steel Cylinder Cage attachment for 'B' Type Oxygen Cylinder.
- Mobile on Four 125 mm High Strength Moulded PU Swivel Castors; Two with Brakes.
- Finish: Well Polished Stainless Steel.



## AS-141 CRASH CART-CUM-EMERGENCY MEDICINE TROLLEY S.S. DELUXE

- Stainless Steel Frame with Six Smooth Running ABS Centrally Lockable Drawers with Three Multipurpose Shelves.
- One Monitor Tray/platform made of Stainless Steel provided on Top at Eye Level.
- One Front Tray/Shelf made of Stainless Steel with Stainless Steel Side Safety Rails.
- One Lower Shelf fitted under ABS Drawers Set with Stainless Steel Side Safety Rails.
- One Handle provided on Side Trolley Frame.
- Stainless Steel Height Adjustable I.V. Rod with One I.V. Hook Provide on the back side of the frame.
- Six Handout Bins for keeping ampoules and injections etc.
- Stainless Steel Cylinder Cage attachment for 'B' Type Oxygen Cylinder.
- Mobile on Four 125 mm High Strength Moulded PU Swivel Castors; Two with Brakes.
- Finish: Well Polished Stainless Steel.





## AS-I41-A LAPAROSCOPY/ENDOSCOPY EQUIPMENT TROLLEY S.S.

- Strong and Precise Stainless Steel Frame made of rectangular S.S. Pipes fixed with Six S.S. Shelves fitted with S.S. Side Safety Rails on Three Sides of each Shelf.
- Space between Five Shelves can be adjustable by One inch or Two inches or Shelves can be detached as per space required for different makes of Laparoscopy/Endoscopy Equipments.
- One Drawer provided under the base made of both side Laminated Wooden Board with Large Stainless Steel Handle.
- Fitted with Electric Socket Strip of Eleven Modular Sockets on the rear side of trolley.
- Provided with detachable S.S. Cylinder Cage at the rear side of trolley.
- Trolley moveable on Four 125 mm Heavy Duty Moulded PU Swivel Castors; Two with Brakes.
- Finish: Well Polished Stainless Steel.

## AS-I41-B UTILITY TROLLEY

- Strong and Precise Stainless Steel Frame made of rectangular S.S. Pipes fitted with both side Laminated Wooden Board with Four Shelves.
- Stainless Steel Top with Three Sides Safety Rails with both sides Handles for smooth movement.
- Two Front Doors with Hydraulic Hinges fitted with Large Stainless Steel Handles.
- Mounted on 100 mm Heavy Duty Moulded PU Twin Castors; Two with Brakes.
- Finish: Well Polished Stainless Steel.



## AS-I42 MEDICINE TROLLEY


- Frame complete made of Stainless Steel with Two Shelves with Three Side Safety Railings.
- Two Drawers made of both side Laminated Wooden Board fitted with High Grade Running Channels and Large Stainless Steel Handles under the both Shelves for medicines etc.
- Mounted on Four 100 mm Heavy Duty Moulded PU Swivel Castors; Two with Brakes.
- Size: 28" L x 20" W x 36" H.
- Finish: Well Polished Stainless Steel.



**AS-I43-A**  
**HEIGHT ADJUSTABLE OBSTETRIC**  
**TELESCOPIC LABOUR TABLE-CUM-LDRP**  
**BED ELECTRO/REMOTE OPERATED**

- Overall Approx. Dimensions: 2070 mm L x 850 mm W x 725 mm H (81" x 33" x 28").
- Three Sections Stainless Steel Top mounted on Strong and Precise Powder Coated CRCA Frame.
- Back-rest adjustable through corded Remote Control.
- Leg Section can be telescope (completely sliding) under Back-rest for Lithotomy Positions.
- Height Adjustment, Trendelenburg/Reverse Trendelenburg Positions through corded Remote Control.
- Removable ABS Head & Foot Panels/Boards.
- ABS Swing Away Type Large Side Safety Railings on each side for patients comfort.
- Stainless Steel bearing down hand grips provided on Stainless Steel Side Rails with adjustable length.
- Provided with pair of upholstered lithotomy crutches mounted on Stainless Steel Rods.
- Sliding Stainless Steel Basin/Tray and provision for Bucket provided under the main frame.
- Stainless Steel I.V. Pole provided with; and can be fixed at each side at head end.
- Three Sections mattress with straps.
- Provided with two padded hand-rest with straps and one anesthetic frame.
- Finish: Pre-treated & Epoxy Powder Coated Frame with Stainless Steel Top and Side Rails.





## AS-143

### OBSTETRIC TELESCOPIC LABOUR TABLE-CUM-LDR BED S.S.

- Overall Approx. Dimensions: 2070 mm L x 850 mm W x 725 mm H (81" x 33" x 28").
- Three Section Stainless Steel Top mounted on Strong and Precise Stainless Steel Tubular Frame.
- Back-rest adjustable on ratchet.
- Leg Section can be telescoped (completely sliding) under Back-rest for Lithotomy Positions.
- Trendelenburg Position through Screw/Crank Mechanism maneuverable by handle provided at head side.
- Removable Stainless Steel Head Board.
- Removable Stainless Steel Side Safety Railings on each side for patients comfort.
- Stainless Steel bearing down hand grips provided on Stainless Steel Side Rails with adjustable length.
- Provided with pair of upholstered lithotomy crutches mounted on Stainless Steel Rods.
- Sliding Stainless Steel Basin/Tray provided under the main frame.
- Stainless Steel I.V. Pole provided with; and can be fixed at each side at head end.
- Three Sections mattress with straps.
- Provided with two padded hand-rest with straps and one anesthetic frame.
- Finish: Well Polished Stainless Steel.



## AS-I45-A

### INSTRUMENT TROLLEY S.S.

- Heavy & Sturdy Stainless Steel Square Pipe Frame mounted on Six 100 mm Heavy Duty Moulded PU Swivel Castors; Two with Brakes.
- Specially designed for Orthopedics, Heart and other major surgeries to accommodate heavy and large instrument sets.
- Two Stainless Steel Shelves with Three Sides Stainless Steel Railing.
- Size: 60" L x 30" W x 32" H.
- Finish: Well Polished Stainless Steel.

## AS-I45

### INSTRUMENT TROLLEY S.S.

- Stainless Steel Tubular Frame mounted on Four 100 mm PU Swivel Castors; Two with Brakes.
- Two Stainless Steel Shelves with Three Sides Stainless Steel Railing.
- Finish: Well Polished Stainless Steel.



## AS-I45-B

### ECG MACHINE TROLLEY

- Three Shelves Trolley specially designed for ECG Machine/Defibrillator and other monitoring systems.
- Stainless Steel Top fitted with Stainless Steel Handle and Two Hooks Height Adjustable I.V. Rod.
- Frame made of CRCA Pipe and Lower Shelves made of CRCA Sheets.
- Mounted on Four 100 mm PU Swivel Castors; Two with Brakes.
- Finish: Pre-treated & Epoxy Powder Coated with Stainless Steel Top.



## AS-I46-B MAYO'S INSTRUMENT TROLLEY MECHANICAL HEIGHT ADJUSTABLE DOUBLE STAND S.S.

- Heavy & Sturdy Stainless Steel Rectangular Pipe Frame mounted on Four 100 mm Heavy Duty Moulded PU Swivel Castors; Two with Brakes.
- Fitted with Two Stainless Steel Pillar Height Adjustable with mechanical gear box operated by handle provided on back side of pillar.
- Height Adjustable by Handle from either side.
- Complete Stainless Steel Structure with fixed Stainless Steel Instrument Tray with Four Sides Raised Frame.
- Mounted on Four 100 mm Heavy Duty Moulded PU Twin Castors; Two with Brakes.
- Size: 48" L x 24" W x 32"-42" Height Adjustable (Customizable).
- Finish: Well Polished Stainless Steel.

## AS-I46 MAYO'S INSTRUMENT TROLLEY MANUAL HEIGHT ADJUSTABLE DOUBLE STAND S.S.

- Specially designed instrument trolley for cross over the table.
- Height Adjustable manually through knob.
- Complete Stainless Steel Structure with fixed Stainless Steel Instrument Tray with Three Sides Safety Rails.
- Mounted on Four 100 mm Heavy Duty Moulded PU Castors; Two with Brakes.
- Size: 36" L x 24" W x 32"-48" Height Adjustable.
- Finish: Well Polished Stainless Steel.



## AS-I46-A INSTRUMENT TROLLEY SINGLE STAND S.S.

- Complete S.S. Structure with fixed Stainless Steel Instrument Tray with Three Side Safety Rails.
- Height Adjustable manually through knob.
- Mounted on Four 100 mm Heavy Duty Moulded PU Castors; Two with Brakes.
- Frame Size: 31" L x 18" W x 32"-48" H.
- Finish: Well Polished Stainless Steel.



## AS-I47-A

### DRESSING TROLLEY S.S.

- Stainless Steel Tubular Frame mounted on Four 125 mm Heavy Duty Moulded PU Castors; Two with Brakes.
- Two Stainless Steel Shelves with Three Sides Stainless Steel Safety Rails.
- Provided with Stainless Steel Bucket and Basin.
- Finish: Well Polished Stainless Steel.

## AS-I47

### DRESSING TROLLEY S.S.

- Stainless Steel Tubular Frame mounted on Four 100 mm Heavy Duty Moulded PU Swivel Castors; Two with Brakes.
- Two Stainless Steel Shelves with Three Sides Stainless Steel Safety Rails.
- Provided with Stainless Steel Bucket and Basin.
- Finish: Well Polished Stainless Steel.



## AS-I51

### BABY CRADLE

- Frame made of Strong and Precise CRCA Pipe with hanging hook for cradle.
- Cradle made of Strong and Heavy Steel Wire framed with CRCA Pipe with hanging clamp.
- Mounted on Heavy Duty PVC Stumps.
- Provided with 2 inches/50 mm thick PU Foam Sheet Covered with Heavy Duty Long Lasting Rexene.
- Finish: Pre-treated & Epoxy Powder Coated.





## AS-152-A LINEN TROLLEY WITH SHELVES DELUXE

- Heavy Steel Frame mounted on Four 100 mm Heavy Duty PU Swivel Castors; Two with Brakes.
- Two multipurpose Shelves with One Top Tray with Three Sides Safety Rails.
- Provided with One Canvas Bag.
- Size: 18" L x 18" W (Shelves) x 35" H and 40 liters Bucket Capacity.
- Finish: Pre-treated & Epoxy Powder Coated.

## AS-152

### LINEN TROLLEY WITH SHELVES DELUXE

- Heavy Steel Frame mounted on Four 100 mm Heavy Duty PU Swivel Castors; Two with Brakes.
- Two multipurpose Shelves with One Top Tray with Three Sides Safety Rails.
- Provided with One Canvas Bag.
- Size: 18" L x 18" W (Shelves) x 35" H + 18" L x 18" W (Canvas Bag).
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-153

### LINEN TROLLEY GENERAL

- Tubular Steel Frame mounted on Four 100 mm Heavy Duty PU Swivel Castors; Two with Brakes.
- Provided with One Canvas Bag.
- Size: 18" L x 18" W x 35" H.
- Finish: Pre-treated & Epoxy Powder Coated.





## AS-153-A LINEN TROLLEY GENERAL

- Tubular Steel Frame mounted on Four 100 mm Heavy Duty PU Swivel Castors; Two with Brakes.
- Provided with One Plastic Bucket.
- Size: 40 Liters Bucket Capacity.
- Finish: Pre-treated & Epoxy Powder Coated.

## AS-154 SURGEON STOOL/CHAIR

- Adjustable Height with Revolving Cushioned Seat with Height Adjustable Back.
- Heavy Steel Base.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-155 PATIENT/REVOLVING STOOL S.S. DELUXE

- Heavy Duty Four Legs Patients Stool made of Tubular Stainless Steel Frame with Stainless Steel ring at the foot end.
- Height adjustable with Revolving Screw covered with Stainless Steel Pipe.
- Cushion Top made of High Density PU Foam covered with Heavy Duty Rexene.
- Mounted on Rubber Stumps.
- Finish: Well Polished Stainless Steel.



## AS-155-A

### PATIENT/REVOLVING STOOL S.S. GENERAL

- Heavy Duty Four Legs Patients Stool made of Tubular Stainless Steel Frame with Stainless Steel ring at the foot end.
- Height adjustable with Revolving Screw covered with Stainless Steel Pipe.
- Stainless Steel Top.
- Mounted on Rubber Stumps.
- Finish: Well Polished Stainless Steel.

## AS-156

### PATIENT/REVOLVING STOOL GENERAL

- Heavy Duty Four Legs Patients Stool made of Tubular Mild Steel Frame with Steel ring at the foot end.
- Height adjustable with Revolving Screw covered with Mild Steel Pipe.
- Stainless Steel Top.
- Mounted on Rubber Stumps.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-157

### PATIENT ATTENDANT STOOL

- Strong and Precise Four Leg Steel Frame mounted on PVC Stumps.
- Stainless Steel Top.
- Finish: Pre-treated & Epoxy Powder Coated.

## AS-158

### I.V. STAND/SALINE STAND POWDER COATED

- Heavy Five Legs Fiber base mounted on Five Swivel Castors.
- Spring Loaded outer tubular stand made of Powder Coated Steel Pipe.
- I.V. Rod/Pole with Two Hooks made of Stainless Steel.
- Height adjustable with manual knob.
- Finish: Pre-treated & Epoxy Powder Coated.





**AS-159-A**  
**I.V. STAND/SALINE STAND S.S.**  
**WITH S.S. BASE**

- Heavy Five Legs Stainless Steel base mounted on Five Swivel Castors.
- Spring Loaded outer tubular stand made of Stainless Steel Pipe.
- I.V. Rod/Pole with Two Hooks made of Stainless Steel.
- Height adjustable with manual knob.
- Finish: Well Polished Stainless Steel.



**AS-159**  
**I.V. STAND/SALINE STAND S.S.**

- Heavy Five Legs Fiber base mounted on Five Swivel Castors.
- Spring Loaded outer tubular stand made of Stainless Steel Pipe.
- I.V. Rod/Pole with Two Hooks made of Stainless Steel.
- Height adjustable with manual knob.
- Finish: Well Polished Stainless Steel.



**AS-160**  
**TROLLEY FOR JUMBO CYLINDERS**

- High Quality Heavy Duty Trolley specially made for Jumbo Cylinders for transporting and standing.
- Two strong 6 inches castors provided in the back and special handle provided on the top to easy movements of cylinders.
- Made of Strong and Precise Mild Steel Tubes/Pipes with heavy base made of Mild Steel Flats.
- Finish: Pre-treated & Epoxy Powder Coated.



## AS-160-A TROLLEY FOR 'B' TYPE CYLINDERS

- High Quality Heavy Duty Trolley specially made for 'B' Type Cylinders for transporting and standing.
- Two strong 4 inches castors provided in the back and special handle provided on the top to easy movements of cylinders.
- Made of Strong and Precise Mild Steel Tubes/Pipes with heavy base made of Mild Steel Flats.
- Finish: Pre-treated & Epoxy Powder Coated.

## AS-161 KICK BUCKET WITH BASIN S.S.

- Made of Stainless Steel Pipe Frame with 2" Swivel Castors.
- Bright Polished and provided with Stainless Steel Basin.
- Finish: Well Polished Stainless Steel.



## AS-161-A BASIN STAND SINGLE S.S.

- Made of Stainless Steel Pipe Frame with 2" Swivel Castors.
- Three Legs connected with Stainless Steel Pipe for extra strength.
- Bright Polished and provided with Stainless Steel Basin.
- Finish: Well Polished Stainless Steel.

## AS-162 FOOT STEP DOUBLE

- Double Step Foot Step made of Heavy Duty Mild Steel Frame and fixed with Mild Steel Sheet on the top with double Aluminum Strips with non-slippery threads at each top.
- Mounted on Rubber Stumps.
- Finish: Pre-treated & Epoxy Powder Coated.





## AS-I63 FOOT STEP SINGLE

- Single Step Foot Step made of Heavy Duty Mild Steel Frame and fixed with Mild Steel Sheet on the top with double Aluminum Strips with non-slippery threads.
- Mounted on Rubber Stumps.
- Finish: Pre-treated & Epoxy Powder Coated.

## AS-I64 SCRUB STATION

- Scrub Station made of 304 Grade Stainless Steel Sheet of 1.2mm/18G thick.
- Size Options:
  - 24" L x 18" W x 20" Depth (Outer Dimensions)
  - 32" L x 18" W x 20" Depth (Outer Dimensions)
  - 48" L x 18" W x 20" Depth (Outer Dimensions)



## AS-I67-A BED SIDE SCREEN 3 FOLD

- Size: 66 inches H x 96 inches L.
- Three Fold Tubular Frame Work mounted on 5 cm castors with Curtains.
- Finish: Pre-treated & Epoxy Powder Coated.

## AS-I67 BED SIDE SCREEN 4 FOLD

- Size: 66 inches H x 96 inches L.
- Four Fold Tubular Frame Work mounted on 5 cm castors with Curtains.
- Finish: Pre-treated & Epoxy Powder Coated.



**HEAD & FOOT PANELS, SIDE SAFETY RAILS, CASTORS/ WHEELS & MATTRESSES**  
**HEAD & FOOT PANELS/BOARDS**

**AS-P-1**

ABS Panel With Wooden Board And Stainless Steel Pipe With Buffers.



**AS-P-2**

ABS Panel With Buffers Curve Shape



**AS-P-3**

ABS Panel



**AS-P-4**

ABS Panel Deluxe



**AS-P-5**

ABS Panel DELUXE - I



**AS-P-6**

DELUXE PANEL-I : Made of Stainless Steel Pipe Frame fitted with Laminated Wooden Board



**AS-P-7**

DELUXE PANEL-II: Stainless Steel Pipe Frame with Stainless Steel Pipe Supports



**AS-P-8**

GENERAL PANEL: Powder Coated Pipe Frame with Powder Coated Steel Pipe Supports



# SIDE SAFETY RAILS

## AS-R-1

ABS RAILING TUCK AWAY with Degree Facility – Set of Four of Two Sizes.



## AS-R-2

ABS RAILING TUCK AWAY with Degree Facility - Set of Four of Equal Sizes.



## AS-R-3

ABS RAILING TUCK AWAY – Set of Four.



## AS-R-4

COLLAPSIBLE RAILING Powder Coated Frame with Stainless Steel Horizontal Supports



## AS-R-5

COLLAPSIBLE RAILING Complete Stainless Steel with Horizontal Supports





## AS-R-6

COLLAPSIBLE RAILING with Vertical Stainless Steel Supports with Center Lock



## AS-R-7

COLLAPSIBLE RAILING with Five/Six Vertical Supports with Side Lock



## AS-R-8

SWING AWAY RAILING Stainless Steel



## AS-R-9

SWING AWAY RAILING Powder Coated



## AS-C-1

150 mm/6 inches MOULDED PU TWIN CASTORS with Double Lock (Swiveling & Rotating) – Set of Four; Two with Brakes/Locks.



## AS-C-2

125 mm/5 inches MOULDED PU TWIN CASTORS with Double Lock (Swiveling & Rotating) – Set of Four; Two with Brakes/Locks.



## AS-C-3

125 mm/5 inches MOULDED PU CASTORS with Double Lock (Swiveling & Rotating) – Set of Four; Two with Brakes/Locks.



## AS-C-4

125 mm/5 inches MOULDED PU CASTORS with Double Lock (Swiveling & Rotating) – Set of Four; Two with Brakes/Locks.



## AS-C-5

125 mm/5 inches PU CASTORS with Covers with Double Lock (Swiveling & Rotating) – Set of Four; Two with Brakes/Locks.



## AS-C-6

150 mm/6 inches RUBBER CASTORS with Heavy Zinc Coated/Powder Coated M.S. Frame – Set of Four; Two with Brakes/Locks.



## AS-C-7

100 mm/4 inches MOULDED PU TWIN CASTORS with Double Lock (Swiveling & Rotating) – Set of Four; Two with Brakes/Locks.



## AS-C-8

100 mm/4 inches MOULDED PU TWIN CASTORS with Double Lock (Swiveling & Rotating) – Set of Four; Two with Brakes/Locks.



## AS-C-9

100 mm/4 inches MOULDED PU CASTORS with Cover with Double Lock (Swiveling & Rotating) – Set of Four; Two with Brakes/Locks.



## AS-C-10

100 mm/4 inches PU CASTORS with Cover with Heavy Powder Coated/Zinc Coated M.S. Frame with Double Lock (Swiveling & Rotating) – Set of Four; Two with Brakes/Locks.



## CASTORS/WHEELS

### AS-C-II

100 mm/4 inches PU CASTORS with Cover with Heavy Powder Coated/Zinc Coated M.S. Frame with Double Lock (Swiveling & Rotating) – Set of Four; Two with Brakes/Locks.



### AS-C-I2

50 mm/2 inches TWIN CASTORS with 3/8 Thread Bolt, Double Colour without Lock



### AS-C-I3

50 mm/2 inches TWIN CASTORS with 3/8 Thread Bolt, Black without Lock



### AS-C-I4

50 mm/2 inches TWIN CASTORS with 3/8 Thread Bolt, Double Colour with Lock



## MATTRESSES

### AS-M-I

100 mm/4 inches, 40 Density , Heavy Duty Rexene Covered Four Sections Mattress for ICU/Fowler Beds



### AS-M-2

100 mm/4 inches, 40 Density , Heavy Duty Rexene Covered Two Sections Mattress for Semi-Fowler Beds



**Works :** Plot No. 127, IDC, Hisar Road Industrial Area, Rohtak-124001 (HR.)

**Mobile No. :** +91-9812125829, 9896925829

**E-mail :** aggarwalsurgicalsrk@yahoo.com

**Website :** www.aggarwalsurgicals.com